



Rout Corners


Elemental 1-Panel 6'8"			
DW	Α	В	
4-0	14.0	4.88	
3-6	12.0	4.38	
3-0	9.75	4.0	
2-8	7.75	4.0	
2-6	6.75	4.0	
2-4	5.75	4.0	
2-0	5.75	3.0	




Elemental 1-Panel

- 1. Dimensions are to Centerline of Rout Profile
- ot Kout Profile 2. Groove Depth ± .020

DIMENSIONS ARE IN: Inches DOOR TOLERANCES WIDTH [FIGURE DAY NO. 5 THE DOOR TOLERANCES WIDTH [FILL WIDTH]; ±1/16 WIDTH [FILL WIDTH]; ±1/16 WIDTH [PREFIT]; ±1/32 HEIGHT 1: ±1/16 SQUARE: ±1/18








Elemental 1-Panel 7'0"			
DW	Α	В	
4-0	14.0	4.88	
3-6	12.0	4.38	
3-0	9.75	4.0	
2-8	7.75	4.0	
2-6	6.75	4.0	
2-4	5.75	4.0	
2-0	5.75	3.0	




Elemental 1-Panel

- 1. Dimensions are to Centerline of Rout Profile
- 2. Groove Depth ± .020

DIMENSIONS ARE IN: Inches DOOR TOLERANCES SILE PROPERTY OF LYMBER DOOR INC. ANY SERVICE WIDTH (FULL WIDTH): ±1/16 WRITHE PREMISSION OF LYMBER DOOR, Inc., IS PROHIBITED SQUARE: ±1/8







Elemental 1-Panel 8'0"			
DW	Α	В	
4-0	14.0	4.88	
3-6	12.0	4.38	
3-0	9.75	4.0	
2-8	7.75	4.0	
2-6	6.75	4.0	
2-4	5.75	4.0	
2-0	5.75	3.0	



Elemental 1-Panel

Notes:

- 1. Dimensions are to Centerline of Rout Profile
- 2. Groove Depth ± .020